



| C | 0 | n | t | e | n | ts |
|---|---|---|---|---|---|----|
| | | | | | | |

| | Product | Page |
|----|----------------------------|------|
| | Clock Blithfield 5 | 4 |
| | Clock Blithfield Compact 5 | 6 |
| | Clock Blithfield 8 | 8 |
| | Clock Blithfield Inset | 10 |
| T | Clock Sudbury | 12 |
| 11 | Clock Sudbury Compact | 14 |
| T | Clock Sudbury Gas | 16 |
| | Clock Blithfield DS | 18 |
| - | Clock Brocksford CS5 | 20 |
| F | Colour Range | 22 |

Visit our website www.clockwoodburners.co.uk Email: hello@clockwoodburners.co.uk Free Phone: 0800 772 0352 Office: 0161 877 6974

Warm your worries away

Here at Clock Woodburners we are passionate about designing and building efficient, effective and stylish stoves. But choosing a stove is about more than just how it works and what it looks like, it's about how it makes you feel.

Warm, cosy and secure is how you deserve to feel at home, and creating this feeling is at the heart of everything we do. Our aim is to create a range of stoves, all designed and built here in the UK, that not only lift your spirits and warm your toes, but leave you secure in the knowledge that you have chosen a highly efficient stove that is built to last.

Our very first stove was built in 2016 following a commission by Blithfield Hall, a Grade 1 listed private home in Staffordshire. The stove was a great success and led to the development of our first production-line model which we named the Clock Blithfield 5.

Through our growing dealer network and customer base we listened to feedback and have since developed a range of stoves to cover a wide variety of needs. These include wood-only and multi-fuel burners in standard and compact versions, as well as the recent introduction of a gas stove. Our range also includes the Blithfield 8kW and Double-Sided stoves with higher outputs, all comfortably compliant with the EcoDesign legislation for lower emissions.

We have a feeling you'll be spending a lot of time in front of your new Clock stove. Specifically designed to lift the spirit and warm the soul, all Clock stoves feature exceptional build quality combined with some of the best efficiency numbers on the market today.

Our award-winning and patent pending technology means that your Clock stove will deliver a premium finish, an unrivalled clean burning flame and a hasslefree operation.

With a growing range of beautifully British-engineered stoves available in a choice of wood, multi-fuel or gas, now is the time to get to know the Clock range a little better.



Why choose Clock Woodburners?

Control & efficiency

Our woodburning and multi-fuel stoves boast our unique 'clockwork' control, making our stoves one of the most controllable and impressively efficient in terms of flame/heat output on the market.

Future proof

Ecodesign is the European-wide programme to lower emissions that came into force for stoves in the UK in 2022. All Clock stoves not only meet, but beat, industry regulations for performance.

Beautifully engineered

All our stoves are designed and built for you in the UK. And that's everything from parts fabrication, assembly and hand-finishing – it's all done in the UK. Packaging, shipping, after-sales care and customer services are all managed here by us in the UK too.

First-class service

With a hand-picked network of dealers and showrooms across the UK, with a proven track record of first-class customer service and reliability, you are only a short trip away from viewing your new Clock stove in action.

"It is a pleasure to be able to introduce you to our growing range of stoves. We believe that time spent choosing, buying and enjoying a Clock Woodburner is time well spent and it is our aim to ensure that the process is a pleasure from start to finish. You can be assured that a Clock Woodburner is built to the very latest specifications and designed to bring you years of pleasure. So why not visit your local dealer today and welcome home a Clock Woodburner?"


Dan Hulse Managing Director, Clock Woodburners




Clock Blithfield 5

This 5kW multi-fuel stove combines outstanding performance with elegant design. With an impressive heat output range of 3.5kW to 7.5kW, you can choose to add height with the addition of an optional log store and add a splash of colour with a choice of finishes.

Clock Blithfield 5 (Multi-fuel 5kW)









Black & Stainless Steel Log Box Option

| Dimensions | Α | В | с | D | Weight |
|--------------------------------------|-------|-------|-------|------|--------|
| Clock Blithfield 5 | 535mm | 600mm | 390mm | 90mm | 116kg |
| Clock Blithfield 5 with Log Store | 535mm | 850mm | 390mm | 90mm | 158kg |

| Description | Values |
|---------------|---|
| Fuel Type | Wood-Burning and Multi-Fuel |
| Output Range | 3.5kW – 7.5kW (nominally tested at 5kW) |
| Energy Rating | A+ |
| Flue Size | 5" / 130mm |
| Glass Size | 352mm x 270mm |
| Rope Size | 12mm Diameter Soft |
| Warranty | 7 Years* (See back page for details) |

Available Options (Additional Cost)


Log Store

Colours - See Colour Chart on p22

Brass or Stainless Steel Fittings

Direct Air Kit

Heat Shield



For best performance we recommend these distances to non-combustible materials.

A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles.

Clock stoves must be placed on a hearth with a minimum thickness of 12mm.










Clock Blithfield Compact 5

STOVE OF THE YEAR

Designed directly in response to feedback from our customers for a stove suitable for smaller interiors, the Compact 5kW might be the Blithfield's little sister, but she packs no less of a punch! While the dimensions have been trimmed, nothing has been compromised when it comes to performance. No wonder it's an award winner!

Clock Blithfield Compact 5 (Multi-fuel 5kW)









| Dimensions | Α | В | с | D | Weight |
|--|-------|-------|-------|------|--------|
| Clock Blithfield Compact 5 | 430mm | 600mm | 335mm | 90mm | 85kg |
| Clock Blithfield Compact 5 with Log Store | 430mm | 845mm | 335mm | 90mm | 119kg |

| Description | Values |
|---------------|---|
| Fuel Type | Wood-Burning and Multi-Fuel |
| Output Range | 2.5kW – 7.5kW (Nominally Tested at 5kW) |
| Energy Rating | A+ |
| Flue Size | 5" / 130mm |
| Glass Size | 300mm x 250mm |
| Rope Size | 12mm Diameter Soft |
| Warranty | 7 Years* (See back page for details) |

Available Options (Additional Cost)


Log Store

Colours - See Colour Chart on p22

Brass or Stainless Steel Fittings

Direct Air Kit

Heat Shield



For best performance we recommend these distances to non-combustible materials.

A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles.

Clock stoves must be placed on a hearth with a minimum thickness of 12mm.











Clock Blithfield 8

As the big brother to the original Blithfield, the Clock Blithfield 8kW provides a larger than average view of the fire through the air-washed glass and boasts one of the most precise controls over the burn rate and flame pattern of any stove on the market. With a nominal output of 8kW it suits larger rooms.

Clock Blithfield 8 (Multi-fuel 8kW)









| Dimensions | Α | В | с | D | Weight |
|--------------------------------------|-------|-------|-------|-------|--------|
| Clock Blithfield 8 | 590mm | 640mm | 390mm | 100mm | 136kg |
| Clock Blithfield 8 with Log Store | 590mm | 910mm | 390mm | 100mm | 180kg |

| Description | Values |
|---------------|--|
| Fuel Type | Wood-Burning and Multi-Fuel |
| Output Range | 6kW - 10.5kW (Nominally tested at 8kW) |
| Energy Rating | A+ |
| Flue Size | 6" / 150mm |
| Glass Size | 415mm x 315mm |
| Rope Size | 12mm Diameter Soft |
| Warranty | 7 Years* (See back page for details) |

| Available O | ptions |
|-------------|--------|
| (Additional | Cost) |

Log Store

Colours - See Colour Chart on p22

Brass or Stainless Steel Fittings

Direct Air Kit

Heat Shield

| Distance to Materials | Above | Sides | Back |
|-----------------------|-------|-------|-------|
| To Combustibles | 450mm | 650mm | 600mm |
| To Non-combustibles | 375mm | 100mm | 100mm |

For best performance we recommend these distances to non-combustible materials.

A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles.

Clock stoves must be placed on a hearth with a minimum thickness of 12mm.











Clock Blithfield Inset

The Blithfield Inset stove is a new addition to our range, designed to be recessed into a chimney breast or wall to leave only the front visible. The Inset takes up less space but features the same quality and performance as our original Blithfield 5kW.

Clock Blithfield Inset (Multi-fuel 5kW)







| Dimensions | Α | В | с | D | Weight |
|------------------------|-------|-------|-------|-------|--------|
| Clock Blithfield Inset | 535mm | 600mm | 484mm | 100mm | 136kg |

| Description | Values |
|---------------|--------------------------------------|
| Fuel Type | Wood-Burning and Multi-Fuel |
| Output Range | 4kW – 7kW (Nominally tested at 5kW) |
| Energy Rating | A+ |
| Flue Size | 5" / 130mm |
| Glass Size | 352mm x 270mm |
| Rope Size | 12mm Diameter Soft |
| Warranty | 7 Years* (See back page for details) |

Available Options (Additional Cost)

Brass or Stainless Steel Fittings

| Distance to Materials | Above | Sides | Back |
|-----------------------|-------|-------|------|
| To Combustibles | 375mm | 500mm | N/A |
| To Non-combustibles | 375mm | 100mm | N/A |

For best performance we recommend these distances to non-combustible materials. Clock stoves must be placed on a hearth with a minimum thickness of 12mm.








Clock Sudbury

The Clock Sudbury is a 5kW wood stove that combines outstanding performance with a simple and elegant design. Featuring a large aspect window and modern clean lines, it boasts an impressive heat output range of 3kW to 7kW. The Sudbury is also available in a choice of colour finishes.

Clock Sudbury (Wood-only 5kW)



| Dimensions | Α | В | с | D | Weight |
|---------------|-------|-------|-------|------|--------|
| Clock Sudbury | 535mm | 610mm | 355mm | 95mm | 93kg |

| Description | Values |
|---------------|--------------------------------------|
| Fuel Type | Wood-Burning |
| Output Range | 3kW - 7kW (nominally tested at 5kW) |
| Energy Rating | A+ |
| Flue Size | 5" / 130mm |
| Glass Size | 405mm x 345mm |
| Rope Size | 12mm Diameter Soft |
| Warranty | 7 Years* (See back page for details) |

Available Options (Additional Cost)

Colours - See Colour Chart on p22

Brass or Stainless Steel Fittings

Direct Air Kit

Heat Shield

| Distance to Materials | Above | Sides | Back |
|-----------------------|-------|-------|-------|
| To Combustibles | 375mm | 500mm | 500mm |
| To Non-combustibles | 375mm | 100mm | 100mm |

For best performance we recommend these distances to non-combustible materials.

A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles.

Clock stoves must be placed on a hearth with a minimum thickness of 12mm.









Clock Sudbury Compact

The new Sudbury Compact is a narrower version of our popular Sudbury woodburning stove, designed to fit into slightly smaller spaces while not compromising on quality or performance.

Clock Sudbury Compact (Wood-only 5kW)







| Dimensions | А | В | с | D | Weight |
|-----------------------|-------|-------|-------|------|--------|
| Clock Sudbury Compact | 435mm | 610mm | 355mm | 95mm | 78kg |

| Description | Values |
|---------------|---|
| Fuel Type | Wood-Burning |
| Output Range | 3.5kW – 6kW (Nominally tested at 4.9kW) |
| Energy Rating | A+ |
| Flue Size | 5" / 130mm |
| Glass Size | 305mm x 345mm |
| Rope Size | 12mm Diameter Soft |
| Warranty | 7 Years* (See back page for details) |

Available Options (Additional Cost)

Colours - See Colour Chart on p22

Brass or Stainless Steel Fittings

Direct Air Kit

Heat Shield

| Distance to Materials | Above | Sides | Back |
|-----------------------|-------|-------|-------|
| To Combustibles | 375mm | 500mm | 500mm |
| To Non-combustibles | 375mm | 100mm | 100mm |

For best performance we recommend these distances to non-combustible materials.

A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles.

Clock stoves must be placed on a hearth with a minimum thickness of 12mm.









Clock Sudbury Gas

Our latest product launch is the Sudbury Gas stove, bringing all the qualities of the Clock range to a natural gas appliance. With a realistic log bed, this clean and efficient stove looks and feels like a woodburner but with the convenience of gas.

Clock Sudbury Gas (Natural Gas)







| Dimensions | Α | В | С | D | Weight |
|-------------------|-------|-------|-------|------|--------|
| Clock Sudbury Gas | 545mm | 655mm | 345mm | 95mm | 65kg |

| Description | Values |
|---------------|--------------------------------------|
| Fuel Type | Gas Only |
| Output Range | Nominally tested at 6.9kW |
| Energy Rating | A+ |
| Flue Size | 6" / 150mm |
| Glass Size | 405mm x 345mm |
| Rope Size | 12mm Diameter Soft |
| Warranty | 7 Years* (See back page for details) |

| Available Options (Additional Cost) Colours - See Colour Chart on p22 | | Distance to Materials |
|---|--|-----------------------|
| | | To Combustibles |
| Brass or Stainless Steel Fittings | | To Non-combustibles |

| Distance to Materials | Above | Sides | Back |
|-----------------------|-------|-------|-------|
| To Combustibles | 375mm | 500mm | 500mm |
| To Non-combustibles | 150mm | 100mm | 50mm |

For best performance we recommend these distances to non-combustible materials.








Clock Blithfield DS

Indulge in the good things in life with the Clock Double. As the only double-sided stove currently on the market that is fully Eco-design 2022 compliant (we believe), investing in this modern classic not only gives your home a show-stopping centre piece, it's future-proofed too.

Clock Blithfield DS (Double-sided)

(Multi-fuel 10kW)





| Dimensions | Α | В | С | Weight |
|---------------------|-------|-------|-------|--------|
| Clock Blithfield DS | 535mm | 600mm | 600mm | 175kg |

| Description | Values |
|---------------|---|
| Fuel Type | Wood-Burning and Multi-Fuel |
| Output Range | 8.5kW – 14kW (Nominally Tested at 10.5kW) |
| Energy Rating | A |
| Flue Size | 6" / 150mm |
| Glass Size | 352mm x 270mm |
| Rope Size | 12mm Diameter Soft |
| Warranty | 7 Years* (See back page for details) |

Available Options (Additional Cost)

Colours - See Colour Chart on p22

Brass or Stainless Steel Fittings

Direct Air Kit

| Distance to Materials | Above | Above Sides | |
|-----------------------|-------|-------------|-----|
| To Combustibles | 550mm | 850mm | N/A |
| To Non-combustibles | 375mm | 200mm | N/A |

For best performance we recommend these distances to non-combustible materials. Clock stoves must be placed on a hearth with a minimum thickness of 12mm.








Clock Brocksford CS5

The Clock Brocksford is our first contemporary-designed woodburning stove. For those looking for the warmth and ambience of a real wood burner, but with the clean lines and elegance of modern design principles.

Clock Brocksford CS5

(Wood-only 5kW)





D

| Dimensions | Α | В | с | D | Weight |
|----------------------|-------|-------|-------|-------|--------|
| Clock Brocksford CS5 | 480mm | 970mm | 430mm | 150mm | 120kg |

| Description | Values |
|---------------|--------------------------------------|
| Fuel Type | Wood-Burning |
| Output Range | 3kW – 7kW (Nominally tested at 5kW) |
| Energy Rating | A+ |
| Flue Size | 5″ / 130mm |
| Glass Size | 323mm x 385mm |
| Rope Size | 12mm Diameter Soft |
| Warranty | 7 Years* (See back page for details) |

| Available Options (Additional Cost) | Distance to Materials | Above | Sides | Back |
|--|-----------------------|-------|-------|-------|
| Colours - See Colour Chart on p22 | To Combustibles | 750mm | 250mm | 150mm |
| Direct Air Kit | To Non-combustibles | 375mm | 100mm | 100mm |

For best performance we recommend these distances to non-combustible materials. Clock stoves must be placed on a hearth with a minimum thickness of 12mm.









Colour Range



Metallic Black



Metallic Blue



Honeyglow Brown



Forest Green





Light Metallic Grey

Mojave Red

Visit our website www.clockwoodburners.co.uk Email: hello@clockwoodburners.co.uk Free Phone: 0800 772 0352 Office: 0161 877 6974


Find a dealer

There is no better way to decide on your perfect stove than seeing it in action.

We have carefully selected some of the best fireplace and stove retailers in the country to showcase the Clock range and we are absolutely confident in their ability to offer you the best advice on choosing and installing a new stove.

200+Locations

Clock Woodburners has a growing list of approved retailers situated across the length and breadth of the UK.



Working in partnership with our approved dealer network

Your retailer will be able to advise on the right size stove for your property, the best fuel type to suit your lifestyle, demonstrate the features of your chosen stove and offer a detailed breakdown of the price including flueing materials and installation. As a manufacturer we work closely with all of our retailers and listen to their feedback and value their judgement. We also strive to help build their business which is why you won't find us selling our stoves over the internet – we believe in protecting your local retailers.

We understand that choosing a stove that will sit at the heart of your home takes time and can be confusing. So confident are we in our retailer's ability to give you the best advice that if they feel a Clock stove isn't the right choice for you, we encourage them to recommend the one that is.

Visit the Spares & Accessories section of our website **www.clockwoodburners.co.uk** where we supply a range of accessories such as stove fans and thermometers. For our stoves we also supply spare consumable parts, all built with the same robust and efficient quality as your original stove.



Visit our website www.clockwoodburners.co.uk Email: hello@clockwoodburners.co.uk Free Phone: 0800 772 0352 Office: 0161 877 6974

Warranty Registration

All Clock stoves are covered by a standard 12-month warranty, which is valid from the date of purchase.

Clock Woodburners will extend the standard warranty on the stove body to 7 years if a warranty registration form is completed on our website within 60 days of purchase from an authorised dealer.

The 7-year warranty only applies to stoves purchased through our approved dealer showroom network and installed by a registered HETAS or OFTEC installer.

If you are planning a self-install, then you must provide a copy of your Building Control Certificate sign-off sheet when registering your stove to qualify.

Any Clock stove purchased via a third party, such as an unauthorised dealer or online, will carry a statutory 12-month warranty and call out charges will apply.

T|E|P Group

Copyright © 2024 Clock Woodburners - All Rights Reserved. Registered in England & Wales Number: 08993414. "Clock Woodburners" is a Trading Name of The Efficiency People Trading Limited (TEP) Unit 2, Navigation Park, Road One, Winsford Industrial Estate, Winsford, Cheshire, CW7 3RL

CE Products are marked where applicable